

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sonderton Caparol Reibeputz R 15

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Coating material

Substance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

 Telephone
 : +496154710

 Telefax
 : +49615471222

 E-mail address
 : msds@dr-rmi.com

Responsible/issuing person

1.4 Emergency telephone number

Emergency telephone : +49615471202

number 1

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : P102 Keep out of reach of children.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Keep out of reach from children. Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

,Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic resin plaster, solvent-free

Hazardous components

Remarks : No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Do NOT use solvents or thinners.

In case of eye contact : Remove contact lenses.

Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart.

Seek medical advice.

If swallowed, DO NOT induce vomiting.

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

: Burning produces irritant fumes.

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

5.3 Advice for firefighters

Special protective equipment

for firefighters

: Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid contact with skin and eyes.

Material can create slippery conditions.

Use protective shoes or boots with rough rubber sole. Refer to protective measures listed in sections 7 and 8. Treat recovered material as described in the section "Disposal

considerations".

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special technical protective measures required.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Provide adequate ventilation. Avoid contact with the skin and

the eyes. Wash hands before eating, drinking, or smoking. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Containers which are opened must be carefully resealed and kept upright to prevent leakage. To maintain product quality,

do not store in heat or direct sunlight. Store at room

temperature. Perishable if frozen.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

materials.

Storage class (TRGS 510) : 12, Non Combustible Liquids

7.3 Specific end use(s)

Specific use(s) : Please follow the technical information of the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

German trade association rules - BGR 192 Eye protection

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Wear suitable gloves tested to EN374. Before removing

gloves clean them with soap and water.

Skin and body protection : Protective clothing

Respiratory protection : No personal respiratory protective equipment normally

required.

Protective measures : No special protective equipment required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : pigmented

Odour : very faint, vinegar-like

Odour Threshold : Not applicable

pH : ca. 8,5

Melting point/range : ca. 0 °C

Boiling point/boiling range : ca. 100 °C

Flash point : Not applicable

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : ca. 23 hPa

Relative vapour density : Not applicable

Relative density : Not applicable

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: not determined

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Flow time : not determined

Explosive properties : Not applicable

Oxidizing properties : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with oxidizing agents.

Incompatible with acids and bases.

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed., In case of fire hazardous decomposition products may be produced such as:, Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : > 2.000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation

Product:

Remarks: No data available

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other

aquatic invertebrates

: Remarks: No data available

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological

information

: There is no data available for this product.

Information given is based on data on the components and

the ecotoxicology of similar products.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a

safe way in accordance with the full requirements of the local

authorities.

In Germany: Dispose containers with residues of liquid product via waste collection point accepting old paints and enamels. Dispose dried/hardened product residues as construction site/demolition/municipal or domestic waste.

Contaminated packaging : Only completely emptied containers should be given for

recycling.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : see sections 6-8

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class

.

1 slightly water endangering

(Germany)

Classification according VwVwS, Annex 4.

Product code for laquers and

paints / Giscode

: M-DF01 Product code for laquers and paints: M-DF01

(Germany)

TA Luft List (Germany) : Total dust:

Not applicable

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

portion Class 3: 0,01 %

Organic Substances:

portion Class 1: < 0,01 %

Carcinogenic substances:

Not applicable Mutagenic:

Not applicable Toxic to reproduction:

Not applicable

Volatile organic compounds : Directive 2004/42/EC

< 0.1 % < 1 g/l

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by

according to Regulation (EC) No. 1907/2006, (EC) 2015/830

Sonderton Caparol Reibeputz R 15

Version 1.4 Revision Date 04.02.2016 Print Date 12.05.2016

Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; VyVB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substance

Further information

Other information

 No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH and GHS/CLP Information

According to our legal obligations we will implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisationand Restriction of Chemicals (REACH) and GHS respectively the Regulation(EC) No 1272/2008). REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP). We will adjust update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31,2018.

The amendment of safety data sheets of mixtures or preparations in accordance with GHS /CLP regulation will be carried out during a transitional period until June 1, 2015. We will conduct the adjustment of our safety data sheets during the time frame of the transitional period as soon as new information is available from our suppliers.

DE / EN